

# Monthly Notices

## OF THE

# Royal Astronomical Society

VOLUME 279

1996 MARCH-APRIL

### *Editorial Board*

**PROFESSOR M. J. BARLOW**, DEPARTMENT OF  
PHYSICS AND ASTRONOMY, UNIVERSITY  
COLLEGE LONDON

**DR R. F. CARSWELL** (DEPUTY MANAGING  
EDITOR), INSTITUTE OF ASTRONOMY,  
CAMBRIDGE

**DR J. E. DREW**, ASTRONOMY GROUP,  
BLACKETT LABORATORY, IMPERIAL  
COLLEGE LONDON

**PROFESSOR A. C. FABIAN** (MANAGING  
EDITOR), INSTITUTE OF ASTRONOMY,  
CAMBRIDGE

**PROFESSOR M. W. FEAST**, DEPARTMENT OF  
ASTRONOMY, UNIVERSITY OF CAPE TOWN

**PROFESSOR D. R. FLOWER**, DEPARTMENT OF  
PHYSICS, UNIVERSITY OF DURHAM

**PROFESSOR D. C. HEGGIE**, DEPARTMENT OF  
MATHEMATICS & STATISTICS, UNIVERSITY  
OF EDINBURGH

**DR D. W. HUGHES**, DEPARTMENT OF  
PHYSICS, UNIVERSITY OF SHEFFIELD

**PROFESSOR F. D. KAHN**, DEPARTMENT OF  
ASTRONOMY, UNIVERSITY OF  
MANCHESTER

**PROFESSOR J. C. B. PAPALOIZOU**, SCHOOL OF  
MATHEMATICAL SCIENCES, QUEEN MARY &  
WESTFIELD COLLEGE LONDON

**PROFESSOR M. J. WARD**, DEPARTMENT OF  
PHYSICS & ASTRONOMY, UNIVERSITY OF  
LEICESTER

**PROFESSOR S. D. M. WHITE**, MAX-PLANCK-  
INSTITUT FÜR ASTROPHYSIK, GARCHING BEI  
MÜNCHEN

Published for the  
Royal Astronomical Society by  
Blackwell Science  
OXFORD LONDON EDINBURGH  
BOSTON MELBOURNE  
PARIS BERLIN VIENNA

# List of key words used in the annual subject indexes

(valid from January 1996)

This list is common to *Monthly Notices of the Royal Astronomical Society*, *Astronomy and Astrophysics*, and *The Astrophysical Journal*. In order to ease the search, the key words are subdivided into broad categories. No more than six subcategories altogether should be listed for a paper.

The subcategories in boldface containing the word 'individual' are intended for use with specific astronomical objects; these should never be used alone, but always in combination with the most common names for the astronomical objects in question. Note that each object counts as one subcategory within the allowed limit of six.

The parts of the key words in italics are for reference only and should be omitted when the key words are entered on the manuscript.

## General

book reviews  
editorials, notices  
errata, addenda  
extraterrestrial intelligence  
history and philosophy of astronomy  
miscellaneous  
obituaries, biographies

## Physical data and processes

acceleration of particles  
accretion, accretion discs  
atomic data  
atomic processes  
black hole physics  
chaos  
conduction  
convection  
cosmic strings  
dense matter  
diffusion  
elementary particles  
equation of state  
gravitation  
hydrodynamics  
instabilities  
line: formation  
line: identification  
line: profiles  
magnetic fields  
(magnetohydrodynamics) MHD  
masers  
molecular data  
molecular processes  
nuclear reactions, nucleosynthesis, abundances  
plasmas  
polarization

radiation mechanisms: nonthermal  
radiation mechanisms: thermal  
radiative transfer  
relativity  
scattering  
shock waves  
turbulence  
waves

## Astronomical instrumentation, methods and techniques

atmospheric effects  
balloons  
instrumentation: detectors  
instrumentation: interferometers  
instrumentation: miscellaneous  
instrumentation: photometers  
instrumentation: polarimeters  
instrumentation: spectrographs  
methods: analytical  
methods: data analysis  
methods: laboratory  
methods: miscellaneous  
methods: numerical  
methods: observational  
methods: statistical  
site testing  
space vehicles  
techniques: image processing  
techniques: interferometric  
techniques: miscellaneous  
techniques: photometric  
techniques: polarimetric  
techniques: radar astronomy  
techniques: radial velocities  
techniques: spectroscopic  
telescopes

## Astronomical data bases

astronomical data bases: miscellaneous  
atlases  
catalogues  
surveys

## Astrometry and celestial mechanics

astrometry  
celestial mechanics, stellar dynamics  
eclipses  
ephemerides  
occultations  
reference systems  
time

## The Sun

Sun: abundances  
Sun: activity  
Sun: atmosphere  
Sun: chromosphere  
Sun: corona  
Sun: evolution  
Sun: faculae, plages  
Sun: filaments  
Sun: flares  
Sun: fundamental parameters  
Sun: general  
Sun: granulation  
Sun: infrared  
Sun: interior  
Sun: magnetic fields  
Sun: oscillations  
Sun: particle emission  
Sun: photosphere  
Sun: prominences  
Sun: radio radiation  
Sun: rotation  
(Sun:) solar-terrestrial relations  
(Sun:) solar wind  
(Sun:) sunspots  
Sun: transition region  
Sun: UV radiation  
Sun: X-rays, gamma-rays

## Solar system

comets: general  
comets: individual: ...  
Earth  
interplanetary medium  
meteors, meteoroids  
minor planets, asteroids  
Moon  
planets and satellites: general  
planets and satellites: individual: ...  
Solar system: formation  
Solar system: general

## Stars

stars: abundances  
stars: activity  
stars: AGB and post-AGB  
stars: atmospheres  
(stars:) binaries (including multiple): close  
(stars:) binaries: eclipsing  
(stars:) binaries: general  
(stars:) binaries: spectroscopic  
(stars:) binaries: symbiotic  
(stars:) binaries: visual  
(stars:) blue stragglers  
stars: carbon  
stars: chemically peculiar  
stars: chromospheres  
(stars:) circumstellar matter  
stars: coronae  
stars: distances  
stars: early-type

stars: emission-line, Be  
stars: evolution  
stars: flare  
stars: formation  
stars: fundamental parameters (*classification, colours, luminosities, masses, radii, temperatures, etc.*)  
stars: general  
(stars:) Hertzsprung-Russell (HR) diagram  
stars: horizontal branch  
stars: imaging  
stars: individual: ...  
stars: interiors  
stars: kinematics  
stars: late-type  
stars: low-mass, brown dwarfs  
stars: luminosity function, mass function  
stars: magnetic fields  
stars: mass-loss  
stars: neutron  
(stars:) novae, cataclysmic variables  
stars: oscillations (*including pulsations*)  
stars: peculiar (*except chemically peculiar*)  
(stars:) planetary systems  
stars: Population II  
stars: pre-main-sequence  
(stars:) pulsars: general  
(stars:) pulsars: individual: ...  
stars: rotation  
stars: statistics  
(stars:) subdwarfs  
(stars:) supergiants  
(stars:) supernovae: general  
(stars:) supernovae: individual: ...  
(stars: variables:) Cepheids  
(stars: variables:)  $\delta$  Scuti  
stars: variables: other  
(stars:) white dwarfs  
stars: Wolf-Rayet

## Interstellar medium (ISM), nebulae

ISM: abundances  
ISM: atoms  
ISM: bubbles  
ISM: clouds  
(ISM:) cosmic rays  
(ISM:) dust, extinction  
ISM: general  
ISM: globules  
(ISM:) H II regions  
ISM: individual: ...  
(*except planetary nebulae*)  
ISM: jets and outflows  
ISM: kinematics and dynamics  
ISM: magnetic fields  
ISM: molecules  
(ISM:) planetary nebulae: general  
(ISM:) planetary nebulae: individual: ...  
(ISM:) reflection nebulae  
ISM: structure  
(ISM:) supernova remnants

## The Galaxy

Galaxy: abundances  
Galaxy: centre  
Galaxy: evolution  
Galaxy: formation  
Galaxy: fundamental parameters  
Galaxy: general  
(Galaxy:) globular clusters: general  
(Galaxy:) globular clusters: individual: ...  
Galaxy: halo  
Galaxy: kinematics and dynamics  
(Galaxy:) open clusters and associations: general  
(Galaxy:) open clusters and associations: individual: ...  
(Galaxy:) solar neighbourhood  
Galaxy: stellar content  
Galaxy: structure

## Galaxies

galaxies: abundances  
galaxies: active  
(galaxies:) BL Lacertae objects: general  
(galaxies:) BL Lacertae objects: individual: ...  
galaxies: clusters: general  
galaxies: clusters: individual: ...  
galaxies: compact  
(galaxies:) cooling flows  
galaxies: distances and redshifts  
galaxies: elliptical and lenticular, cD  
galaxies: evolution  
galaxies: formation  
galaxies: fundamental parameters  
(classification, colours, luminosities, masses, radii, etc.)  
galaxies: general  
galaxies: haloes  
galaxies: individual: ...  
galaxies: interactions  
(galaxies:) intergalactic medium  
galaxies: ISM  
galaxies: irregular  
galaxies: jets  
galaxies: kinematics and dynamics  
(galaxies:) Local Group  
galaxies: luminosity function, mass function  
(galaxies:) Magellanic Clouds  
galaxies: magnetic fields  
galaxies: nuclei  
galaxies: peculiar  
galaxies: photometry  
(galaxies:) quasars: absorption lines  
(galaxies:) quasars: emission lines  
(galaxies:) quasars: general

(galaxies:) quasars: individual: ...

galaxies: Seyfert  
galaxies: spiral  
galaxies: starburst  
galaxies: star clusters  
galaxies: statistics  
galaxies: stellar content  
galaxies: structure

## Cosmology

(cosmology:) cosmic microwave background  
cosmology: miscellaneous  
cosmology: observations  
cosmology: theory  
(cosmology:) dark matter  
(cosmology:) diffuse radiation  
(cosmology:) distance scale  
(cosmology:) early Universe  
(cosmology:) gravitational lensing  
(cosmology:) large-scale structure of Universe

## Sources as a function of wavelength

gamma-rays: bursts  
gamma-rays: observations  
gamma-rays: theory  
infrared: galaxies  
infrared: general  
infrared: ISM: continuum  
infrared: ISM: lines and bands  
infrared: Solar system  
infrared: stars  
radio continuum: galaxies  
radio continuum: general  
radio continuum: ISM  
radio continuum: Solar system  
radio continuum: stars  
radio lines: galaxies  
radio lines: general  
radio lines: ISM  
radio lines: Solar system  
radio lines: stars  
ultraviolet: galaxies  
ultraviolet: general  
ultraviolet: ISM  
ultraviolet: Solar system  
ultraviolet: stars  
X-rays: bursts  
X-rays: galaxies  
X-rays: general  
X-rays: ISM  
X-rays: stars

# SUBJECT INDEX

## Physical data and processes

- Higher Paschen lines in the spectra of early-type stars (Frémat Y., Houziaux L., Andriat Y.), 279, 25
- A new survey for 6.6-GHz methanol masers (Caswell J.L.), 279, 79
- Interpolations of Rosseland-mean opacities for variable  $X$  and  $Z$  (Seaton M.J.), 279, 95
- Continuum emission associated with 6.7-GHz methanol masers (Ellingsen S.P., Norris R.P., McCulloch P.M.), 279, 101
- Protostellar envelopes: a clue to the initial conditions of star formation (Bonnell I.A., Bate M.R., Price N.M.), 279, 121
- Compressible fluctuations in an equatorial pulsar wind and a scenario for wisps in the central Crab nebula (Lou Y.-Q.), 279, 129
- The chemistry of core collapse in TMC1 (Howe D.A., Taylor S.D., Williams D.A.), 279, 143
- The non-axisymmetric instability of a cylindrical shear flow containing an azimuthal magnetic field (Ogilvie G.I., Pringle J.E.), 279, 152
- On the wings of broad H $\alpha$  emission in active galactic nuclei (Romano P., Zwitter T., Calvani M., Sulentic J.), 279, 165
- Accretion disc radii in eclipsing cataclysmic variables (Harrop-Allin M.K., Warner B.), 279, 219
- Turbulence and magnetic fields in elliptical galaxies (Moss D., Shukurov A.), 279, 229
- A theory of non-local mixing-length convection – III. Comparing theory and numerical experiment (Grossman S.A.), 279, 305
- Magnetic collimation by accretion discs of quasars and stars (Lynden-Bell D.), 279, 389
- SPH simulations of tidally unstable accretion discs in cataclysmic variables (Murray J.R.), 279, 402
- Tidally induced warps in T Tauri discs – II. A parametric study of spectral energy distributions (Terquem C., Bertout C.), 279, 415
- Physical conditions in the transition regions around the Ring Nebula and NGC 7027 (Liu X.-W., Barlow M.J.), 279, 511
- Polarization during binary microlensing (Agol E.), 279, 571
- The formation of H $_2$  by H-atom reaction with grain surfaces (Duley W.W.), 279, 591
- The effect of spatial correlations in a chaotic velocity field on the D/H measurements from QSO absorption spectra (Levshakov S.A., Takahara F.), 279, 651
- Sonic-point instability with a new revised viscosity and isothermal accretion disc (Yang L., Yang P., Wu S., Wu X.), 279, 669
- On the stability of an accretion disc containing a toroidal magnetic field (Terquem C., Papaioizou J.C.B.), 279, 767
- The broad iron K emission line in the Seyfert 2 galaxy IRAS 18325–5926 (Iwasawa K., Fabian A.C., Mushotzky R.F., Brandt W.N., Awaki H., Kunieda H.), 279, 837
- Continuous opacity from Ne $^+$  (John T.L.), 279, 859
- Radiative transfer models for IRAS F10214 + 4724 (Green S.M., Rowan-Robinson M.), 279, 884
- The deceleration of relativistic jets by entrainment (Bowman M., Leahy J.P., Komissarov S.S.), 279, 899
- Simulating the emission line radial velocity modulation in discless intermediate polars (Garlick M.A.), 279, 940
- Breaking the sound barrier in recombination fronts (Williams R.J.R., Dyson J.E.), 279, 987
- Radio observations of PSR B1259–63 around periastron (Johnston S., Manchester R.N., Lyne A.G., D'Amico N., Bailes M., Gaensler B.M., Nicastro L.), 279, 1026
- Accretion disc boundary layers around pre-main-sequence stars (Godon P.), 279, 1071
- Rotational disturbance in the intermediate polar BG Canis Minoris (Garlick M.A.), 279, 1101
- The Bowen fluorescence lines: overview and re-analysis of the observations (Kastner S.O., Bhatia A.K.), 279, 1137
- Energy transport in a rotation-modulated pulsar wind (Melatos A., Melrose D.B.), 279, 1168
- Magnetic fields in cometary globules – I. CG 22 (Sridharan T.K., Bhatt H.C., Rajagopal J.), 279, 1191
- Magnetic reconnection and star formation in molecular clouds (Lubow S.H., Pringle J.E.), 279, 1251
- Superhumps and ultraviolet superdips: *HST* observations of OY Car (Billington I., Marsh T.R., Home K., Cheng F.H., Thomas G., Bruch A., O'Donoghue D., Eracleous M.), 279, 1274

- Forbidden transitions in B II, C III, O V, Ne VII and Mg IX (Fleming J., Bell K.L., Hibbert A., Vaecq N., Godefroid M.R.), 279, 1289
- Imaging polarimetry of the luminous merger galaxy NGC 3256 (Scarrott S.M., Draper P.W., Stockdale D.P.), 279, 1325
- The origin of the correlation between the UV and X-rays in NGC 4151 (Zdziarski A.A., Magdziarz P.), 279, L21
- A reanalysis of interstellar OH absorption observations (Roueff E.), 279, L37
- Synthesis of interstellar CH $^+$  without OH (Federman S.R., Rawlings J.M.C., Taylor S.D., Williams D.A.), 279, L41
- Surface features on interstellar ice (McCoustra M., Williams D.A.), 279, L53
- Spectropolarimetry of 3C 265, a misaligned radio galaxy (di Serego Alighieri S., Cimatti A., Fosbury R.A.E., Perez-Fournon I.), 279, L57
- A comment on the stability of magnetic wind-driving accretion discs (Königl A., Wardle M.), 279, L61
- Relativistic perihelion advance as a centrifugal effect (Sonego S., Lanza A.), 279, L65
- Gravitational collapse in the presence of a finite-amplitude circularly polarized Alfvén wave (Lou Y.-Q.), 279, L67
- Scattered broad optical lines in the polarized flux spectrum of the FR II galaxy 3C 321 (Young S., Hough J.H., Efstathiou A., Wills B.J., Axon D.J., Bailey J.A., Ward M.J.), 279, L72

## Astronomical instrumentation, methods and techniques

- The prediction of the spectral properties of BL Lac samples (Marchá M.J.M., Browne I.W.A.), 279, 72
- Star/galaxy classification using Kohonen self-organizing maps (Miller A.S., Coe M.J.), 279, 293
- SPH simulations of tidally unstable accretion discs in cataclysmic variables (Murray J.R.), 279, 402
- A modified  $R^1 \otimes R^1$  method for helioseismic rotation inversions (Pijpers F.P., Thompson M.J.), 279, 498
- A new method for accurate estimation of velocity field statistics (Bernardeau F., van de Weygaert R.), 279, 693
- Statistical tests of a periodicity hypothesis for crater formation rate – II (Yabushita S.), 279, 727
- An X-ray all-sky monitor with extraordinary sensitivity (Priedhorsky W.C., Peele A.G., Nugent K.A.), 279, 733
- Numerical study of energy diffusion in King models (Theuns T.), 279, 827
- Observing strategies for blank-field surveys in the submillimetre waveband (Blain A.W., Longair M.S.), 279, 847
- Real and imaginary Kirkwood gaps (Murray C.D.), 279, 978
- The Muenster Redshift Project: improved methods for automated galaxy redshift measurements from very low-dispersion objective-prism spectra (Schuecker P.), 279, 1057
- Accretion disc boundary layers around pre-main-sequence stars (Godon P.), 279, 1071
- Thresholds on star formation and the chemical evolution of galactic discs: cosmochronology and the age of the Galaxy (Chamcham K., Hendry M.A.), 279, 1083
- $\Omega$  from the COBE-DMR anisotropy maps (Cayón L., Martínez-González E., Sanz J.L., Sugiyama N., Torres S.), 279, 1095
- A spectroscopic search for red supergiants in the M33 giant H II region NGC 604 (Terlevich E., Diaz A.I., Terlevich R., González-Delgado R.M., Pérez E., García Vargas M.L.), 279, 1219
- The Parkes Southern Pulsar Survey – I. Observing and data analysis systems and initial results (Manchester R.N., Lyne A.G., D'Amico N., Bailes M., Johnston S., Lorimer D.R., Harrison P.A., Nicastro L., Bell J.F.), 279, 1235
- Spectropolarimetry of 3C 265, a misaligned radio galaxy (di Serego Alighieri S., Cimatti A., Fosbury R.A.E., Perez-Fournon I.), 279, L57

## Astronomical data bases

- Interpolations of Rosseland-mean opacities for variable  $X$  and  $Z$  (Seaton M.J.), 279, 95



- Star/galaxy classification using Kohonen self-organizing maps (Miller A.S., Coe M.J.), 279, 293
- Galactic extinction and Abell clusters (Nichol R.C., Connolly A.J.), 279, 521
- Framework for cosmography at high redshift (Triay R., Spinelli L., Lafaye R.), 279, 564
- An X-ray all-sky monitor with extraordinary sensitivity (Priedhorsky W.C., Peele A.G., Nugent K.A.), 279, 733
- RV Tauri stars – I. A long-term photometric survey (Pollard K.R., Cottrell P.L., Kilmartin P.M., Gilmore A.C.), 279, 949
- K-band photometry of spectroscopic redshift survey objects (Gardner J.P.), 279, 1157
- The Parkes Southern Pulsar Survey – I. Observing and data analysis systems and initial results (Manchester R.N., Lyne A.G., D'Amico N., Bailes M., Johnston S., Lorimer D.R., Harrison P.A., Nicastro L., Bell J.F.), 279, 1235

## Astrometry and celestial mechanics

- Dynamical families in the Galactic globular cluster system (Bellazzini M., Vesperini E., Ferraro F.R., Fusi Pecci F.), 279, 337
- Three-integral oblate galaxy models (Robijn F.H.A., de Zeeuw P.T.), 279, 673
- Numerical study of energy diffusion in King models (Theuns T.), 279, 827
- Statistics of *N*-body simulations – III. Unequal masses (Giersz M., Heggie D.C.), 279, 1037
- Adiabatic evolution and capture into resonance: vertical heating of a growing stellar disc (Sridhar S., Touma J.), 279, 1263
- The 1995 outburst and possible origin of the  $\alpha$ -Monocerotid meteoroid stream (Rendtel J., Brown P., Molau S.), 279, L31
- Relativistic perihelion advance as a centrifugal effect (Sonogo S., Lanza A.), 279, L65

## The Sun

- A modified  $R^1 \otimes R^1$  method for helioseismic rotation inversions (Pijpers F.P., Thompson M.J.), 279, 498

## Solar system

- Statistical tests of a periodicity hypothesis for crater formation rate – II (Yabushita S.), 279, 727
- Pulsation frequency of fireballs: a new method of measuring meteoroid size? (Thuillard M.), 279, 785
- Real and imaginary Kirkwood gaps (Murray C.D.), 279, 978
- The 1995 outburst and possible origin of the  $\alpha$ -Monocerotid meteoroid stream (Rendtel J., Brown P., Molau S.), 279, L31

## Stars

- The life-cycle of star formation in distant clusters (Barger A.J., Aragón-Salamanca A., Ellis R.S., Couch W.J., Smail I., Sharples R.M.), 279, 1
- Higher Paschen lines in the spectra of early-type stars (Frémat Y., Houziaux L., Andriolat Y.), 279, 25
- Obscured asymptotic giant branch stars in the Magellanic Clouds – II. Near-infrared and mid-infrared counterparts (Zijlstra A.A., Loup C., Waters L.B.F.M., Whitelock P.A., van Loon J.Th., Guglielmo F.), 279, 32
- A new survey for 6.6-GHz methanol masers (Caswell J.L.), 279, 79
- Evolutionary scenarios for double degenerate systems (Sarna M.J., Marks P.B., Smith R.C.), 279, 88
- Continuum emission associated with 6.7-GHz methanol masers (Ellingsen S.P., Norris R.P., McCulloch P.M.), 279, 101
- The influence of binary stars on dwarf spheroidal galaxy kinematics (Hargreaves J.C., Gilmore G., Annan J.D.), 279, 108
- Protostellar envelopes: a clue to the initial conditions of star formation (Bonnell I.A., Bate M.R., Price N.M.), 279, 121
- Compressible fluctuations in an equatorial pulsar wind and a scenario for wisps in the central Crab nebula (Lou Y.-Q.), 279, 129
- The chemistry of core collapse in TMC1 (Howe D.A., Taylor S.D., Williams D.A.), 279, 143

- Wind-accretion induced rapid rotation and a new class of active star (Jeffries R.D., Stevens I.R.), 279, 180
- Accretion disc radii in eclipsing cataclysmic variables (Harrop-Allin M.K., Warner B.), 279, 219
- Nova Cygni 1992 (V1974 Cygni): MERLIN observations from 1992 to 1994 (Eyles S.P.S., Davis R.J., Bode M.F.), 279, 249
- Nova V351 Puppis 1991: a multiwavelength study of the nebular phase (Saizar P., Pachoulakis I., Shore S.N., Starrfield S., Williams R.E., Rothschild E., Sonneborn G.), 279, 280
- Star/galaxy classification using Kohonen self-organizing maps (Miller A.S., Coe M.J.), 279, 293
- N19: an M-type symbiotic star in the Large Magellanic Cloud (Morgan D.H.), 279, 301
- A theory of non-local mixing-length convection – III. Comparing theory and numerical experiment (Grossman S.A.), 279, 305
- Magnetic collimation by accretion discs of quasars and stars (Lynden-Bell D.), 279, 389
- SPH simulations of tidally unstable accretion discs in cataclysmic variables (Murray J.R.), 279, 402
- Tidally induced warps in T Tauri discs – II. A parametric study of spectral energy distributions (Terquem C., Bertout C.), 279, 415
- The metallicity distribution of G dwarfs in the solar neighbourhood (Rocha-Pinto H.J., Maciel W.J.), 279, 447
- Polarization during binary microlensing (Agol E.), 279, 571
- An analytic approach to the secular evolution of cataclysmic variables (Stehle R., Ritter H., Kolb U.), 279, 581
- H I line measurements of pulsars towards the Gum nebula and the Carina arm (Johnston S., Koribalski B., Weisberg J.M., Wilson W.), 279, 661
- Discovery of six short-period eclipsing binaries in the globular cluster M5 (Yan L., Reid I.N.), 279, 751
- The H I distribution in the environment of the WR star HD 50896 (Arnall E.M., Cappa C.E.), 279, 788
- Preliminary spectral analysis of SN 1994I (Baron E., Hauschildt P.H., Branch D., Kirshner R.P., Filippenko A.V.), 279, 799
- Evolution of the 1–4  $\mu$ m spectrum of Nova PW Vulpeculae 1984 (Williams P.M., Longmore A.J., Geballe T.R.), 279, 804
- Observing strategies for blank-field surveys in the submillimetre waveband (Blain A.W., Longair M.S.), 279, 847
- Continuous opacity from  $\text{Ne}^-$  (John T.L.), 279, 859
- RNO 43: a jet-driven super-outflow (Bence S.J., Richer J.S., Padman R.), 279, 866
- Optical, infrared and millimetre-wave properties of Vega-like systems (Sylvester R.J., Skinner C.J., Barlow M.J., Mannings V.), 279, 915
- Simulating the emission line radial velocity modulation in discless intermediate polars (Garlick M.A.), 279, 940
- RV Tauri stars – I. A long-term photometric survey (Pollard K.R., Cottrell P.L., Kilmartin P.M., Gilmore A.C.), 279, 949
- Breaking the sound barrier in recombination fronts (Williams R.J.R., Dyson J.E.), 279, 987
- Infrared imaging of late-type stars (Ivezić Ž., Elitzur M.), 279, 1011
- Dust emission from IRC + 10216 (Ivezić Ž., Elitzur M.), 279, 1019
- Radio observations of PSR B1259–63 around periastron (Johnston S., Manchester R.N., Lyne A.G., D'Amico N., Bailes M., Gaensler B.M., Nicastro L.), 279, 1026
- Accretion disc boundary layers around pre-main-sequence stars (Godon P.), 279, 1071
- Thresholds on star formation and the chemical evolution of galactic discs: cosmochronology and the age of the Galaxy (Chamcham K., Hendry M.A.), 279, 1083
- Rotational disturbance in the intermediate polar BG Canis Minoris (Garlick M.A.), 279, 1101
- The response of tidally heated stars (Podsiadlowski Ph.), 279, 1104
- Solving the mystery of the heavy-element opacity in the DA white dwarf GD 394 (Barstow M.A., Holberg J.B., Hubeny I., Lanz T., Bruhweiler F.C., Tweedy R.W.), 279, 1120
- Energy transport in a rotation-modulated pulsar wind (Melatos A., Melrose D.B.), 279, 1168
- Magnetic fields in cometary globules – I. CG 22 (Sridharan T.K., Bhatt H.C., Rajagopal J.), 279, 1191
- Chemical evolution in the circumstellar structure of B5 IRS1 (Kelly M.L., Macdonald G.H., Millar T.J.), 279, 1210
- A spectroscopic search for red supergiants in the M33 giant H II region NGC 604 (Terlevich E., Diaz A.I., Terlevich R., González-Delgado R.M., Pérez E., García Vargas M.L.), 279, 1219
- The Parkes Southern Pulsar Survey – I. Observing and data analysis systems and initial results (Manchester R.N., Lyne A.G., D'Amico

- N., Bailes M., Johnston S., Lorimer D.R., Harrison P.A., Nicastro L., Bell J.F.), 279, 1235  
 Magnetic reconnection and star formation in molecular clouds (Lubow S.H., Pringle J.E.), 279, 1251  
 Superhumps and ultraviolet superdips: *HST* observations of OY Car (Billington I., Marsh T.R., Horne K., Cheng F.H., Thomas G., Bruch A., O'Donoghue D., Eracleous M.), 279, 1274  
 The spin period of the intermediate polar RX J0558 + 53 (Allan A., Horne K., Hellier C., Mukai K., Barwig H., Bennie P.J., Hilditch R.W.), 279, 1345  
 On the reflection effect in three sdOB binary stars (Hilditch R.W., Harries T.J., Hill G.), 279, 1380

## Interstellar medium (ISM), nebulae

- A new survey for 6.6-GHz methanol masers (Caswell J.L.), 279, 79  
 Continuum emission associated with 6.7-GHz methanol masers (Ellingsen S.P., Norris R.P., McCulloch P.M.), 279, 101  
 Protostellar envelopes: a clue to the initial conditions of star formation (Bonnell I.A., Bate M.R., Price N.M.), 279, 121  
 Compressible fluctuations in an equatorial pulsar wind and a scenario for wisps in the central Crab nebula (Lou Y.-Q.), 279, 129  
 The chemistry of core collapse in TMC1 (Howe D.A., Taylor S.D., Williams D.A.), 279, 143  
 Turbulence and magnetic fields in elliptical galaxies (Moss D., Shukurov A.), 279, 229  
 Physical conditions in the transition regions around the Ring Nebula and NGC 7027 (Liu X.-W., Barlow M.J.), 279, 511  
 Galactic extinction and Abell clusters (Nichol R.C., Connolly A.J.), 279, 521  
 Dust in high-redshift radio galaxies and the early evolution of spheroidal galaxies (Mazzei P., De Zotti G.), 279, 535  
 The formation of H<sub>2</sub> by H-atom reaction with grain surfaces (Duley W.W.), 279, 591  
 The H I distribution in the environment of the WR star HD 50896 (Arnal E.M., Cappa C.E.), 279, 788  
 Observing strategies for blank-field surveys in the submillimetre waveband (Blain A.W., Longair M.S.), 279, 847  
 RNO 43: a jet-driven super-outflow (Bence S.J., Richer J.S., Padman R.), 279, 866  
 Breaking the sound barrier in recombination fronts (Williams R.J.R., Dyson J.E.), 279, 987  
 Infrared imaging of late-type stars (Ivezić Ž., Elitzur M.), 279, 1011  
 Dust emission from IRC + 10216 (Ivezić Ž., Elitzur M.), 279, 1019  
 The Bowen fluorescence lines: overview and re-analysis of the observations (Kastner S.O., Bhatia A.K.), 279, 1137  
 Magnetic fields in cometary globules – I. CG 22 (Sridharan T.K., Bhatt H.C., Rajagopal J.), 279, 1191  
 Chemical evolution in the circumstellar structure of B5 IRS1 (Kelly M.L., Macdonald G.H., Millar T.J.), 279, 1210  
 A spectroscopic search for red supergiants in the M33 giant H II region NGC 604 (Terlevich E., Diaz A.I., Terlevich R., González-Delgado R.M., Pérez E., García Vargas M.L.), 279, 1219  
 Magnetic reconnection and star formation in molecular clouds (Lubow S.H., Pringle J.E.), 279, 1251  
 A reanalysis of interstellar OH absorption observations (Roueff E.), 279, 137  
 Synthesis of interstellar CH<sup>+</sup> without OH (Federman S.R., Rawlings J.M.C., Taylor S.D., Williams D.A.), 279, 141  
 Surface features on interstellar ice (McCoustra M., Williams D.A.), 279, 153

## The Galaxy

- Dynamical families in the Galactic globular cluster system (Bellazzini M., Vesperini E., Ferraro F.R., Fusi Pecci F.), 279, 337  
 The metallicity distribution of G dwarfs in the solar neighbourhood (Rocha-Pinto H.J., Maciel W.J.), 279, 447  
 Discovery of six short-period eclipsing binaries in the globular cluster M5 (Yan L., Reid I.N.), 279, 751  
 Numerical study of energy diffusion in King models (Theuns T.), 279, 827  
 On the deprojection of the Galactic bulge (Binney J., Gerhard O.), 279, 1005

- Statistics of *N*-body simulations – III. Unequal masses (Giersz M., Heggie D.C.), 279, 1037  
 The response of tidally heated stars (Podsiadlowski Ph.), 279, 1104  
 Adiabatic evolution and capture into resonance: vertical heating of a growing stellar disc (Sridhar S., Touma J.), 279, 1263

## Galaxies

- The life-cycle of star formation in distant clusters (Barger A.J., Aragón-Salamanca A., Ellis R.S., Couch W.J., Smail I., Sharples R.M.), 279, 1  
 Obscured asymptotic giant branch stars in the Magellanic Clouds – II. Near-infrared and mid-infrared counterparts (Zijlstra A.A., Loup C., Waters L.B.F.M., Whitelock P.A., van Loon J.Th., Guglielmo F.), 279, 32  
 The relation between the neutral and the ionized gas in NGC 5252 (Prieto M.A., Freudling W.), 279, 63  
 The prediction of the spectral properties of BL Lac samples (Marchă M.J.M., Browne I.W.A.), 279, 72  
 The influence of binary stars on dwarf spheroidal galaxy kinematics (Hargreaves J.C., Gilmore G., Annan J.D.), 279, 108  
 On the wings of broad H $\alpha$  emission in active galactic nuclei (Romano P., Zwitter T., Calvani M., Sulentic J.), 279, 165  
 Kinematics of ionized gas associated with the radio nucleus and lobes in the active galaxy IRAS 04210 + 0400 (Holloway A.J., Steffen W., Pedlar A., Axon D.J., Dyson J.E., Meaburn J., Tadhunter C.N.), 279, 171  
 VIII Zw 105: a starburst galaxy at  $z \approx 0.06$ ? (Brosch N., Hoffman G.L.), 279, 191  
 Pruning the Lyman  $\alpha$  forest of Q1331 + 170 (Kulkarni V.P., Huang K., Green R.F., Bechtold J., Welty D.E., York D.G.), 279, 197  
 Turbulence and magnetic fields in elliptical galaxies (Moss D., Shukurov A.), 279, 229  
 The energetics of flat and rotating early-type galaxies and their X-ray luminosity (Ciotti L., Pellegrini S.), 279, 240  
 Morphologies in megaparsec-size powerful radio galaxies (Subrahmanyan R., Saripalli L., Hunstead R.W.), 279, 257  
 On the interpretation of the He II absorption in the line of sight of Q0302–003 (Nath B.B., Sethi S.K.), 279, 275  
 N19: an M-type symbiotic star in the Large Magellanic Cloud (Morgan D.H.), 279, 301  
 On the dynamics of the cores of galaxy clusters (den Hartog R., Katgert P.), 279, 349  
 Magnetic collimation by accretion discs of quasars and stars (Lynden-Bell D.), 279, 389  
 Optical monitoring of luminous AGN – I. Radio-loud quasars (Netzer H., Heller A., Loinger F., Alexander T., Baldwin J.A., Wills B.J., Han M., Frueh M., Higdon J.L.), 279, 429  
 A new large sample of ultraluminous *IRAS* galaxies (Clements D.L., Sutherland W.J., Saunders W., Efsthathiou G.P., McMahon R.G., Maddox S., Lawrence A., Rowan-Robinson M.), 279, 459  
 Optical imaging of ultraluminous *IRAS* galaxies: how many are mergers? (Clements D.L., Sutherland W.J., McMahon R.G., Saunders W.), 279, 477  
 Galactic extinction and Abell clusters (Nichol R.C., Connolly A.J.), 279, 521  
 The *ROSAT* X-ray spectra of BL Lacertae objects (Padovani P., Giommi P.), 279, 526  
 Dust in high-redshift radio galaxies and the early evolution of spheroidal galaxies (Mazzei P., De Zotti G.), 279, 535  
 Using the kinematic Sunyaev–Zeldovich effect to determine the peculiar velocities of clusters of galaxies (Haehnelt M.G., Tegmark M.), 279, 545  
 Kurtosis in large-scale structure as a constraint on non-Gaussian initial conditions (Chodorowski M.J., Bouchet F.R.), 279, 557  
 Blue compact dwarf galaxies and new velocities in Virgo (Drinkwater M.J., Currie M.J., Young C.K., Hardy E., Yearsley J.M.), 279, 595  
 A combined X-ray and gravitational lensing study of the massive cooling-flow cluster PKS 0745–191 (Allen S.W., Fabian A.C., Kneib J.P.), 279, 615  
 The clustering of warm and cool *IRAS* galaxies (Mann R.G., Saunders W., Taylor A.N.), 279, 636  
 The effect of spatial correlations in a chaotic velocity field on the D/H measurements from QSO absorption spectra (Levshakov S.A., Takahara F.), 279, 651

- Three-integral oblate galaxy models (Robijn F.H.A., de Zeeuw P.T.), 279, 673
- The broad iron K emission line in the Seyfert 2 galaxy IRAS 18325-5926 (Iwasawa K., Fabian A.C., Mushotzky R.F., Brandt W.N., Awaki H., Kunieda H.), 279, 837
- Observing strategies for blank-field surveys in the submillimetre waveband (Blain A.W., Longair M.S.), 279, 847
- Radiative transfer models for IRAS F10214 + 4724 (Green S.M., Rowan-Robinson M.), 279, 884
- The deceleration of relativistic jets by entrainment (Bowman M., Leahy J.P., Komissarov S.S.), 279, 899
- On the deprojection of axisymmetric bodies (Gerhard O., Binney J.), 279, 993
- The Muenster Redshift Project: improved methods for automated galaxy redshift measurements from very low-dispersion objective-prism spectra (Schuecker P.), 279, 1057
- Thresholds on star formation and the chemical evolution of galactic discs: cosmochronology and the age of the Galaxy (Chamcham K., Hendry M.A.), 279, 1083
- Compact radio structure in the Seyfert nucleus of NGC 5929 (Su B.M., Muxlow T.W.B., Pedlar A., Holloway A.J., Steffen W., Kukula M.J., Mutel R.L.), 279, 1111
- K-band photometry of spectroscopic redshift survey objects (Gardner J.P.), 279, 1157
- Observations of the radio jets in NGC 5090 (PKS B1318-434) (Lloyd B.D., Jones P.A., Haynes R.F.), 279, 1197
- Adiabatic evolution and capture into resonance: vertical heating of a growing stellar disc (Sridhar S., Touma J.), 279, 1263
- The R-band Hubble diagram for gigahertz peaked spectrum radio galaxies (Snellen I.A.G., Bremer M.N., Schilizzi R.T., Miley G.K., van Ojik R.), 279, 1294
- The distribution of pairwise peculiar velocities in the non-linear regime (Sheth R.K.), 279, 1310
- Imaging polarimetry of the luminous merger galaxy NGC 3256 (Scarrott S.M., Draper P.W., Stockdale D.P.), 279, 1325
- The soft X-ray properties of a complete sample of radio sources (Siebert J., Brinkmann W., Morganti R., Tadhunter C.N., Danziger I.J., Fosbury R.A.E., di Serego Alighieri S.), 279, 1331
- A quasar with ultraviolet, ultraviolet Fe II emission (Graham M.J., Clowes R.G., Campusano L.E.), 279, 1349
- Galaxy counts and the galaxy two-point angular correlation function to  $l = 23$  (Lidman C.E., Peterson B.A.), 279, 1357
- A study of 4C 13.66 – the final identification and redshift for the revised 3C sample (Rawlings S., Lacy M., Leahy J.P., Dunlop J.S., Garrington S.T., Lüdke E.), 279, 1413
- The origin of the correlation between the UV and X-rays in NGC 4151 (Zdziarski A.A., Magdziarz P.), 279, 1421
- The optical identification of a primeval galaxy at  $z \geq 4.4$  (Fontana A., Cristiani S., D'Odorico S., Giallongo E., Savaglio S.), 279, 1427
- Galaxy morphology to  $l = 25$  mag in the *Hubble Deep Field* (Abraham R.G., Tanvir N.R., Santiago B.X., Ellis R.S., Glazebrook K., van den Bergh S.), 279, 1447
- Spectropolarimetry of 3C 265, a misaligned radio galaxy (di Serego Alighieri S., Cimatti A., Fosbury R.A.E., Perez-Fournon I.), 279, 1457
- Gravitational collapse in the presence of a finite-amplitude circularly polarized Alfvén wave (Lou Y.-Q.), 279, 1467
- Scattered broad optical lines in the polarized flux spectrum of the FR II galaxy 3C 321 (Young S., Hough J.H., Efstathiou A., Wills B.J., Axon D.J., Bailey J.A., Ward M.J.), 279, 1472

## Cosmology

- The life-cycle of star formation in distant clusters (Barger A.J., Aragón-Salamanca A., Ellis R.S., Couch W.J., Smail I., Sharples R.M.), 279, 1
- On the interpretation of the He II absorption in the line of sight of Q0302-003 (Nath B.B., Sethi S.K.), 279, 275
- On the dynamics of the cores of galaxy clusters (den Hartog R., Katgert P.), 279, 349
- Galactic extinction and Abell clusters (Nichol R.C., Connolly A.J.), 279, 521
- Using the kinematic Sunyaev-Zeldovich effect to determine the peculiar velocities of clusters of galaxies (Haehnelt M.G., Tegmark M.), 279, 545
- Kurtosis in large-scale structure as a constraint on non-Gaussian initial conditions (Chodorowski M.J., Bouchet F.R.), 279, 557

- Framework for cosmography at high redshift (Triay R., Spinelli L., Lafaye R.), 279, 564
- Polarization during binary microlensing (Agol E.), 279, 571
- A combined X-ray and gravitational lensing study of the massive cooling-flow cluster PKS 0745-191 (Allen S.W., Fabian A.C., Kneib J.P.), 279, 615
- The clustering of warm and cool IRAS galaxies (Mann R.G., Saunders W., Taylor A.N.), 279, 636
- A new method for accurate estimation of velocity field statistics (Bernardeau F., van de Weygaert R.), 279, 693
- Decaying  $\Lambda$  cosmologies and statistical properties of gravitational lenses (Bloomfield Torres L.F., Waga I.), 279, 712
- Observing strategies for blank-field surveys in the submillimetre waveband (Blain A.W., Longair M.S.), 279, 847
- The Muenster Redshift Project: improved methods for automated galaxy redshift measurements from very low-dispersion objective-prism spectra (Schuecker P.), 279, 1057
- Thresholds on star formation and the chemical evolution of galactic discs: cosmochronology and the age of the Galaxy (Chamcham K., Hendry M.A.), 279, 1083
- $\Omega$  from the COBE-DMR anisotropy maps (Cayón L., Martínez-González E., Sanz J.L., Sugiyama N., Torres S.), 279, 1095
- K-band photometry of spectroscopic redshift survey objects (Gardner J.P.), 279, 1157
- The correlation between bulk and shell velocities in cosmology (Loke H.Y., Heavens A.F.), 279, 1303
- The distribution of pairwise peculiar velocities in the non-linear regime (Sheth R.K.), 279, 1310
- Galaxy counts and the galaxy two-point angular correlation function to  $l = 23$  (Lidman C.E., Peterson B.A.), 279, 1357
- The non-linear redshift-space power spectrum:  $\Omega$  from redshift surveys (Fisher K.B., Nusser A.), 279, 141
- Wide-field EVN observations of the gravitational lens system 2016 + 112 (Garrett M.A., Porcas R.W., Nair S., Patnaik A.R.), 279, 147
- Galaxy morphology to  $l = 25$  mag in the *Hubble Deep Field* (Abraham R.G., Tanvir N.R., Santiago B.X., Ellis R.S., Glazebrook K., van den Bergh S.), 279, 1447
- Gravitational collapse in the presence of a finite-amplitude circularly polarized Alfvén wave (Lou Y.-Q.), 279, 1467

## Sources as a function of wavelength

- Obscured asymptotic giant branch stars in the Magellanic Clouds – II. Near-infrared and mid-infrared counterparts (Zijlstra A.A., Loup C., Waters L.B.F.M., Whitelock P.A., van Loon J.Th., Guglielmo F.), 279, 32
- The relation between the neutral and the ionized gas in NGC 5252 (Prieto M.A., Freudling W.), 279, 63
- The prediction of the spectral properties of BL Lac samples (Marchà M.J.M., Browne I.W.A.), 279, 72
- Continuum emission associated with 6.7-GHz methanol masers (Ellingsen S.P., Norris R.P., McCulloch P.M.), 279, 101
- The energetics of flat and rotating early-type galaxies and their X-ray luminosity (Ciotti L., Pellegrini S.), 279, 240
- Nova Cygni 1992 (V1974 Cygni): MERLIN observations from 1992 to 1994 (Eyres S.P.S., Davis R.J., Bode M.F.), 279, 249
- Morphologies in megaparsec-size powerful radio galaxies (Subrahmanyan R., Saripalli L., Hunstead R.W.), 279, 257
- Nova V351 Puppi 1991: a multiwavelength study of the nebular phase (Saizar P., Pachoulakis I., Shore S.N., Starrfield S., Williams R.E., Rothschild E., Sonneborn G.), 279, 280
- Tidally induced warps in T Tauri discs – II. A parametric study of spectral energy distributions (Terquem C., Bertout C.), 279, 415
- A new large sample of ultraluminous IRAS galaxies (Clements D.L., Sutherland W.J., Saunders W., Efstathiou G.P., McMahon R.G., Maddox S., Lawrence A., Rowan-Robinson M.), 279, 459
- Optical imaging of ultraluminous IRAS galaxies: how many are mergers? (Clements D.L., Sutherland W.J., McMahon R.G., Saunders W.), 279, 477
- Galactic extinction and Abell clusters (Nichol R.C., Connolly A.J.), 279, 521
- The ROSAT X-ray spectra of BL Lacertae objects (Padovani P., Giommi P.), 279, 526
- Dust in high-redshift radio galaxies and the early evolution of spheroidal galaxies (Mazzei P., De Zotti G.), 279, 535
- A combined X-ray and gravitational lensing study of the massive



- cooling-flow cluster PKS 0745-191 (Allen S.W., Fabian A.C., Kneib J.P.), **279**, 615
- H I line measurements of pulsars towards the Gum nebula and the Carina arm (Johnston S., Koribalski B., Weisberg J.M., Wilson W.), **279**, 661
- An X-ray all-sky monitor with extraordinary sensitivity (Priedhorsky W.C., Peele A.G., Nugent K.A.), **279**, 733
- The H I distribution in the environment of the WR star HD 50896 (Arnall E.M., Cappa C.E.), **279**, 788
- Evolution of the 1-4  $\mu$ m spectrum of Nova PW Vulpeculae 1984 (Williams P.M., Longmore A.J., Geballe T.R.), **279**, 804
- The broad iron K emission line in the Seyfert 2 galaxy IRAS 18325-5926 (Iwasawa K., Fabian A.C., Mushotzky R.F., Brandt W.N., Awaki H., Kunieda H.), **279**, 837
- Observing strategies for blank-field surveys in the submillimetre waveband (Blain A.W., Longair M.S.), **279**, 847
- Continuous opacity from Ne<sup>+</sup> (John T.L.), **279**, 859
- RNO 43: a jet-driven super-outflow (Bence S.J., Richer J.S., Padman R.), **279**, 866
- Radiative transfer models for IRAS F10214 + 4724 (Green S.M., Rowan-Robinson M.), **279**, 884
- Optical, infrared and millimetre-wave properties of Vega-like systems (Sylvester R.J., Skinner C.J., Barlow M.J., Mannings V.), **279**, 915
- Infrared imaging of late-type stars (Ivezić Ž., Elitzur M.), **279**, 1011
- Dust emission from IRC + 10216 (Ivezić Ž., Elitzur M.), **279**, 1019
- The response of tidally heated stars (Podsiadlowski Ph.), **279**, 1104
- Compact radio structure in the Seyfert nucleus of NGC 5929 (Su B.M., Muxlow T.W.B., Pedlar A., Holloway A.J., Steffen W., Kukula M.J., Mutel R.L.), **279**, 1111
- Solving the mystery of the heavy-element opacity in the DA white dwarf GD 394 (Barstow M.A., Holberg J.B., Hubeny I., Lanz T., Bruhweiler F.C., Tweedy R.W.), **279**, 1120
- K-band photometry of spectroscopic redshift survey objects (Gardner J.P.), **279**, 1157
- Observations of the radio jets in NGC 5090 (PKS B1318-434) (Lloyd B.D., Jones P.A., Haynes R.F.), **279**, 1197
- Superhumps and ultraviolet superdips: *HST* observations of OY Car (Billington I., Marsh T.R., Horne K., Cheng F.H., Thomas G., Bruch A., O'Donoghue D., Eracleous M.), **279**, 1274
- The soft X-ray properties of a complete sample of radio sources (Siebert J., Brinkmann W., Morganti R., Tadhunter C.N., Danziger I.J., Fosbury R.A.E., di Serego Alighieri S.), **279**, 1331
- The spin period of the intermediate polar RX J0558 + 53 (Allan A., Horne K., Hellier C., Mukai K., Barwig H., Bennie P.J., Hilditch R.W.), **279**, 1345
- A quasar with ultrastrong, ultraviolet Fe II emission (Graham M.J., Clowes R.G., Campusano L.E.), **279**, 1349
- Wide-field EVN observations of the gravitational lens system 2016 + 112 (Garrett M.A., Porcas R.W., Nair S., Patnaik A.R.), **279**, L7
- A study of 4C 13.66 - the final identification and redshift for the revised 3C sample (Rawlings S., Lacy M., Leahy J.P., Dunlop J.S., Garrington S.T., Lüdke E.), **279**, L13
- The origin of the correlation between the UV and X-rays in NGC 4151 (Zdziarski A.A., Magdziarz P.), **279**, L21
- A reanalysis of interstellar OH absorption observations (Roueff E.), **279**, L37
- Spectropolarimetry of 3C 265, a misaligned radio galaxy (di Serego Alighieri S., Cimatti A., Fosbury R.A.E., Perez-Fournon I.), **279**, L57

# AUTHOR INDEX

- Abraham R.G., Tanvir N.R., Santiago B.X., Ellis R.S., Glazebrook K., van den Bergh S., Galaxy morphology to  $I = 25$  mag in the *Hubble Deep Field*, 279, L47
- Agol E., Polarization during binary microlensing, 279, 571
- Alexander T. see Netzer H.
- Allan A., Horne K., Hellier C., Mukai K., Barwig H., Bennie P.J., Hilditch R.W., The spin period of the intermediate polar RX J0558 + 53, 279, 1345
- Allen S.W., Fabian A.C., Kneib J.P., A combined X-ray and gravitational lensing study of the massive cooling-flow cluster PKS 0745-191, 279, 615
- Andrillat Y. see Frémat Y.
- Annan J.D. see Hargreaves J.C.
- Aragón-Salamanca A. see Barger A.J.
- Arnall E.M., Cappa C.E., The H I distribution in the environment of the WR star HD 50896, 279, 788
- Awaki H. see Iwasawa K.
- Axon D.J. see Holloway A.J.
- Axon D.J. see Young S.
- Bailes M. see Johnston S.
- Bailes M. see Manchester R.N.
- Bailey J.A. see Young S.
- Baldwin J.A. see Netzer H.
- Barger A.J., Aragón-Salamanca A., Ellis R.S., Couch W.J., Smail I., Sharples R.M., The life-cycle of star formation in distant clusters, 279, 1
- Barlow M.J. see Liu X.-W.
- Barlow M.J. see Sylvester R.J.
- Baron E., Hauschildt P.H., Branch D., Kirshner R.P., Filippenko A.V., Preliminary spectral analysis of SN 1994I, 279, 799
- Barstow M.A., Holberg J.B., Hubeny I., Lanz T., Bruhweiler F.C., Tweedy R.W., Solving the mystery of the heavy-element opacity in the DA white dwarf GD 394, 279, 1120
- Barwig H. see Allan A.
- Bate M.R. see Bonnell I.A.
- Bechtold J. see Kulkarni V.P.
- Bell J.F. see Manchester R.N.
- Bell K.L. see Fleming J.
- Bellazzini M., Vesperini E., Ferraro F.R., Fusi Pecci F., Dynamical families in the Galactic globular cluster system, 279, 337
- Bence S.J., Richer J.S., Padman R., RNO 43: a jet-driven super-outflow, 279, 866
- Bennie P.J. see Allan A.
- Bernardeau F., van de Weygaert R., A new method for accurate estimation of velocity field statistics, 279, 693
- Bertout C. see Terquem C.
- Bhatia A.K. see Kastner S.O.
- Bhatt H.C. see Sridharan T.K.
- Billington I., Marsh T.R., Horne K., Cheng F.H., Thomas G., Bruch A., O'Donoghue D., Eracleous M., Superhumps and ultraviolet superdips: *HST* observations of OY Car, 279, 1274
- Binney J. see Gerhard O.
- Binney J., Gerhard O., On the deprojection of the Galactic bulge, 279, 1005
- Blain A.W., Longair M.S., Observing strategies for blank-field surveys in the submillimetre waveband, 279, 847
- Bloomfield Torres L.F., Waga I., Decaying  $\Lambda$  cosmologies and statistical properties of gravitational lenses, 279, 712
- Bode M.F. see Eyres S.P.S.
- Bonnell I.A., Bate M.R., Price N.M., Protostellar envelopes: a clue to the initial conditions of star formation, 279, 121
- Bouchet F.R. see Chodorowski M.J.
- Bowman M., Leahy J.P., Komissarov S.S., The deceleration of relativistic jets by entrainment, 279, 899
- Branch D. see Baron E.
- Brandt W.N. see Iwasawa K.
- Bremer M.N. see Snellen I.A.G.
- Brinkmann W. see Siebert J.
- Brosch N., Hoffman G.L., VIII Zw 105: a starburst galaxy at  $z \approx 0.06?$ , 279, 191
- Brown P. see Rendtel J.
- Browne I.W.A. see Marchà M.J.M.
- Bruch A. see Billington I.
- Bruhweiler F.C. see Barstow M.A.
- Calvani M. see Romano P.
- Campusano L.E. see Graham M.J.
- Cappa C.E. see Arnall E.M.
- Caswell J.L., A new survey for 6.6-GHz methanol masers, 279, 79
- Cayón L., Martínez-González E., Sanz J.L., Sugiyama N., Torres S.,  $\Omega$  from the COBE-DMR anisotropy maps, 279, 1095
- Chamcham K., Hendry M.A., Thresholds on star formation and the chemical evolution of galactic discs: cosmochronology and the age of the Galaxy, 279, 1083
- Cheng F.H. see Billington I.
- Chodorowski M.J., Bouchet F.R., Kurtosis in large-scale structure as a constraint on non-Gaussian initial conditions, 279, 557
- Cimatti A. see di Serego Alighieri S.
- Ciotti L., Pellegrini S., The energetics of flat and rotating early-type galaxies and their X-ray luminosity, 279, 240
- Clements D.L., Sutherland W.J., McMahon R.G., Saunders W., Optical imaging of ultraluminous *IRAS* galaxies: how many are mergers?, 279, 477
- Clements D.L., Sutherland W.J., Saunders W., Efsthathiou G.P., McMahon R.G., Maddox S., Lawrence A., Rowan-Robinson M., A new large sample of ultraluminous *IRAS* galaxies, 279, 459
- Clowes R.G. see Graham M.J.
- Coe M.J. see Miller A.S.
- Connolly A.J. see Nichol R.C.
- Cottrell P.L. see Pollard K.R.
- Couch W.J. see Barger A.J.
- Cristiani S. see Fontana A.
- Currie M.J. see Drinkwater M.J.
- D'Amico N. see Johnston S.
- D'Amico N. see Manchester R.N.
- Danziger I.J. see Siebert J.
- Davis R.J. see Eyres S.P.S.
- de Zeeuw P.T. see Robijn F.H.A.
- De Zotti G. see Mazzei P.
- den Hartog R., Katgert P., On the dynamics of the cores of galaxy clusters, 279, 349
- di Serego Alighieri S. see Siebert J.
- di Serego Alighieri S., Cimatti A., Fosbury R.A.E., Perez-Fournon I., Spectropolarimetry of 3C 265, a misaligned radio galaxy, 279, L57
- Diaz A.I. see Terlevich E.
- D'Odorico S. see Fontana A.
- Draper P.W. see Scarrott S.M.
- Drinkwater M.J., Currie M.J., Young C.K., Hardy E., Yearsley J.M., Blue compact dwarf galaxies and new velocities in Virgo, 279, 595
- Duley W.W., The formation of  $H_2$  by H-atom reaction with grain surfaces, 279, 591
- Dunlop J.S. see Rawlings S.
- Dyson J.E. see Holloway A.J.
- Dyson J.E. see Williams R.J.R.
- Efstathiou A. see Young S.
- Efstathiou G.P. see Clements D.L.
- Elitzur M. see Ivezić Ž.
- Ellingsen S.P., Norris R.P., McCulloch P.M., Continuum emission associated with 6.7-GHz methanol masers, 279, 101
- Ellis R.S. see Abraham R.G.
- Ellis R.S. see Barger A.J.
- Eracleous M. see Billington I.
- Eyres S.P.S., Davis R.J., Bode M.F., Nova Cygni 1992 (V1974 Cygni): MERLIN observations from 1992 to 1994, 279, 249
- Fabian A.C. see Allen S.W.
- Fabian A.C. see Iwasawa K.
- Federman S.R., Rawlings J.M.C., Taylor S.D., Williams D.A., Synthesis of interstellar CH<sup>+</sup> without OH, 279, L41
- Ferraro F.R. see Bellazzini M.
- Filippenko A.V. see Baron E.
- Fisher K.B., Nusser A., The non-linear redshift-space power spectrum:  $\Omega$  from redshift surveys, 279, L1

- Fleming J., Bell K.L., Hibbert A., Vaecck N., Godefroid M.R., Forbidden transitions in B II, C III, O V, Ne VII and Mg IX, 279, 1289  
Fontana A., Cristiani S., D'Odorico S., Giallongo E., Savaglio S., The optical identification of a primeval galaxy at  $z \geq 4.4$ , 279, L27  
Fosbury R.A.E. *see* di Serego Alighieri S.  
Fosbury R.A.E. *see* Siebert J.  
Frémat Y., Houziaux L., Andriat Y., Higher Paschen lines in the spectra of early-type stars, 279, 25  
Freudling W. *see* Prieto M.A.  
Früh M. *see* Netzer H.  
Fusi Pecci F. *see* Bellazzini M.
- Gaensler B.M. *see* Johnston S.  
García Vargas M.L. *see* Terlevich E.  
Gardner J.P., K-band photometry of spectroscopic redshift survey objects, 279, 1157  
Garlick M.A., Rotational disturbance in the intermediate polar BG Canis Minoris, 279, 1101  
Garlick M.A., Simulating the emission line radial velocity modulation in discless intermediate polars, 279, 940  
Garrett M.A., Porcas R.W., Nair S., Patnaik A.R., Wide-field EVN observations of the gravitational lens system 2016 + 112, 279, L7  
Garrington S.T. *see* Rawlings S.  
Geballe T.R. *see* Williams P.M.  
Gerhard O. *see* Binney J.  
Gerhard O., Binney J., On the deprojection of axisymmetric bodies, 279, 993  
Giallongo E. *see* Fontana A.  
Giersz M., Heggie D.C., Statistics of  $N$ -body simulations – III. Unequal masses, 279, 1037  
Gilmore A.C. *see* Pollard K.R.  
Gilmore G. *see* Hargreaves J.C.  
Giommi P. *see* Padovani P.  
Glazebrook K. *see* Abraham R.G.  
Godefroid M.R. *see* Fleming J.  
Godon P., Accretion disc boundary layers around pre-main-sequence stars, 279, 1071  
González-Delgado R.M. *see* Terlevich E.  
Graham M.J., Clowes R.G., Campusano L.E., A quasar with ultrastrong, ultraviolet Fe II emission, 279, 1349  
Green R.F. *see* Kulkarni V.P.  
Green S.M., Rowan-Robinson M., Radiative transfer models for IRAS F10214 + 4724, 279, 884  
Grossman S.A., A theory of non-local mixing-length convection – III. Comparing theory and numerical experiment, 279, 305  
Guglielmo F. *see* Zijlstra A.A.
- Haehnelt M.G., Tegmark M., Using the kinematic Sunyaev–Zeldovich effect to determine the peculiar velocities of clusters of galaxies, 279, 545  
Han M. *see* Netzer H.  
Hardy E. *see* Drinkwater M.J.  
Hargreaves J.C., Gilmore G., Annan J.D., The influence of binary stars on dwarf spheroidal galaxy kinematics, 279, 108  
Harries T.J. *see* Hilditch R.W.  
Harrison P.A. *see* Manchester R.N.  
Harrop-Allin M.K., Warner B., Accretion disc radii in eclipsing cataclysmic variables, 279, 219  
Hauschildt P.H. *see* Baron E.  
Haynes R.F. *see* Lloyd B.D.  
Heavens A.F. *see* Loke H.Y.  
Heggie D.C. *see* Giersz M.  
Heller A. *see* Netzer H.  
Hellier C. *see* Allan A.  
Hendry M.A. *see* Chamcham K.  
Hibbert A. *see* Fleming J.  
Higdon J.L. *see* Netzer H.  
Hilditch R.W. *see* Allan A.  
Hilditch R.W., Harries T.J., Hill G., On the reflection effect in three sdOB binary stars, 279, 1380  
Hill G. *see* Hilditch R.W.  
Hoffman G.L. *see* Brosch N.  
Holberg J.B. *see* Barstow M.A.  
Holloway A.J. *see* Su B.M.  
Holloway A.J., Steffen W., Pedlar A., Axon D.J., Dyson J.E., Meaburn J., Tadhunter C.N., Kinematics of ionized gas associated with the radio nucleus and lobes in the active galaxy IRAS 04210 + 0400, 279, 171
- Horne K. *see* Allan A.  
Horne K. *see* Billington I.  
Hough J.H. *see* Young S.  
Houziaux L. *see* Frémat Y.  
Howe D.A., Taylor S.D., Williams D.A., The chemistry of core collapse in TMC1, 279, 143  
Huang K. *see* Kulkarni V.P.  
Hubeny I. *see* Barstow M.A.  
Hunstead R.W. *see* Subrahmanyan R.
- Ivezić Ž., Elitzur M., Dust emission from IRC + 10216, 279, 1019  
Ivezić Ž., Elitzur M., Infrared imaging of late-type stars, 279, 1011  
Iwasawa K., Fabian A.C., Mushotzky R.F., Brandt W.N., Awaki H., Kunieda H., The broad iron K emission line in the Seyfert 2 galaxy IRAS 18325–5926, 279, 837
- Jeffries R.D., Stevens I.R., Wind-accretion induced rapid rotation and a new class of active star, 279, 180  
John T.L., Continuous opacity from Ne<sup>+</sup>, 279, 859  
Johnston S. *see* Manchester R.N.  
Johnston S., Koribalski B., Weisberg J.M., Wilson W., H I line measurements of pulsars towards the Gum nebula and the Carina arm, 279, 661  
Johnston S., Manchester R.N., Lyne A.G., D'Amico N., Bailes M., Gaensler B.M., Nicastro L., Radio observations of PSR B1259–63 around periastron, 279, 1026  
Jones P.A. *see* Lloyd B.D.
- Kastner S.O., Bhatia A.K., The Bowen fluorescence lines: overview and re-analysis of the observations, 279, 1137  
Katert P. *see* den Hartog R.  
Kelly M.L., Macdonald G.H., Millar T.J., Chemical evolution in the circumstellar structure of B5 IRS1, 279, 1210  
Kilmartin P.M. *see* Pollard K.R.  
Kirshner R.P. *see* Baron E.  
Kneib J.P. *see* Allen S.W.  
Kolb U. *see* Stehle R.  
Komisarov S.S. *see* Bowman M.  
Königl A., Wardle M., A comment on the stability of magnetic wind-driving accretion discs, 279, L61  
Koribalski B. *see* Johnston S.  
Kukula M.J. *see* Su B.M.  
Kulkarni V.P., Huang K., Green R.F., Bechtold J., Welty D.E., York D.G., Pruning the Lyman  $\alpha$  forest of Q1331 + 170, 279, 197  
Kunieda H. *see* Iwasawa K.
- Lacy M. *see* Rawlings S.  
Lafaye R. *see* Triay R.  
Lanz T. *see* Barstow M.A.  
Lanza A. *see* Sonogo S.  
Lawrence A. *see* Clements D.L.  
Leahy J.P. *see* Bowman M.  
Leahy J.P. *see* Rawlings S.  
Levshakov S.A., Takahara F., The effect of spatial correlations in a chaotic velocity field on the D/H measurements from QSO absorption spectra, 279, 651  
Lidman C.E., Peterson B.A., Galaxy counts and the galaxy two-point angular correlation function to  $l = 23$ , 279, 1357  
Liu X.-W., Barlow M.J., Physical conditions in the transition regions around the Ring Nebula and NGC 7027, 279, 511  
Lloyd B.D., Jones P.A., Haynes R.F., Observations of the radio jets in NGC 5090 (PKS B1318–434), 279, 1197  
Loinger F. *see* Netzer H.  
Loke H.Y., Heavens A.F., The correlation between bulk and shell velocities in cosmology, 279, 1303  
Longair M.S. *see* Blain A.W.  
Longmore A.J. *see* Williams P.M.  
Lorimer D.R. *see* Manchester R.N.  
Lou Y.-Q., Compressible fluctuations in an equatorial pulsar wind and a scenario for wisps in the central Crab nebula, 279, 129  
Lou Y.-Q., Gravitational collapse in the presence of a finite-amplitude circularly polarized Alfvén wave, 279, L67  
Loup C. *see* Zijlstra A.A.  
Lubow S.H., Pringle J.E., Magnetic reconnection and star formation in molecular clouds, 279, 1251  
Lüdke E. *see* Rawlings S.

Lynden-Bell D., Magnetic collimation by accretion discs of quasars and stars, 279, 389

Lyne A.G. *see* Johnston S.

Lyne A.G. *see* Manchester R.N.

McCoustra M., Williams D.A., Surface features on interstellar ice, 279, L53

McCulloch P.M. *see* Ellingsen S.P.

Macdonald G.H. *see* Kelly M.L.

Maciel W.J. *see* Rocha-Pinto H.J.

McMahon R.G. *see* Clements D.L.

Maddox S. *see* Clements D.L.

Magdziarz P. *see* Zdziarski A.A.

Manchester R.N. *see* Johnston S.

Manchester R.N., Lyne A.G., D'Amico N., Bailes M., Johnston S., Lorimer D.R., Harrison P.A., Nicastro L., Bell J.F., The Parkes Southern Pulsar Survey – I. Observing and data analysis systems and initial results, 279, 1235

Mann R.G., Saunders W., Taylor A.N., The clustering of warm and cool IRAS galaxies, 279, 636

Mannings V. *see* Sylvester R.J.

Marchi M.J.M., Browne I.W.A., The prediction of the spectral properties of BL Lac samples, 279, 72

Marks P.B. *see* Sarna M.J.

Marsh T.R. *see* Billington I.

Martínez-González E. *see* Cayón L.

Mazzei P., De Zotti G., Dust in high-redshift radio galaxies and the early evolution of spheroidal galaxies, 279, 535

Meaburn J. *see* Holloway A.J.

Melatos A., Melrose D.B., Energy transport in a rotation-modulated pulsar wind, 279, 1168

Melrose D.B. *see* Melatos A.

Miley G.K. *see* Snellen I.A.G.

Millar T.J. *see* Kelly M.L.

Miller A.S., Coe M.J., Star/galaxy classification using Kohonen self-organizing maps, 279, 293

Molau S. *see* Rendtel J.

Morgan D.H., N19: an M-type symbiotic star in the Large Magellanic Cloud, 279, 301

Morganti R. *see* Siebert J.

Moss D., Shukurov A., Turbulence and magnetic fields in elliptical galaxies, 279, 229

Mukai K. *see* Allan A.

Murray C.D., Real and imaginary Kirkwood gaps, 279, 978

Murray J.R., SPH simulations of tidally unstable accretion discs in cataclysmic variables, 279, 402

Mushotzky R.F. *see* Iwasawa K.

Mutet R.L. *see* Su B.M.

Muxlow T.W.B. *see* Su B.M.

Nair S. *see* Garrett M.A.

Nath B.B., Sethi S.K., On the interpretation of the He II absorption in the line of sight of Q0302-003, 279, 275

Netzer H., Heller A., Loinger F., Alexander T., Baldwin J.A., Wills B.J., Han M., Frueh M., Higdon J.L., Optical monitoring of luminous AGN – I. Radio-loud quasars, 279, 429

Nicastro L. *see* Johnston S.

Nicastro L. *see* Manchester R.N.

Nichol R.C., Connolly A.J., Galactic extinction and Abell clusters, 279, 521

Norris R.P. *see* Ellingsen S.P.

Nugent K.A. *see* Priedhorsky W.C.

Nusser A. *see* Fisher K.B.

O'Donoghue D. *see* Billington I.

Ogilvie G.I., Pringle J.E., The non-axisymmetric instability of a cylindrical shear flow containing an azimuthal magnetic field, 279, 152

Pachoulakis I. *see* Saizar P.

Padman R. *see* Bence S.J.

Padovani P., Giommi P., The ROSAT X-ray spectra of BL Lacertae objects, 279, 526

Papaloizou J.C.B. *see* Terquem C.

Patnaik A.R. *see* Garrett M.A.

Pedlar A. *see* Holloway A.J.

Pedlar A. *see* Su B.M.

Peele A.G. *see* Priedhorsky W.C.

Pellegrini S. *see* Ciotti L.

Pérez E. *see* Terlevich E.

Perez-Fournon I. *see* di Serego Alighieri S.

Peterson B.A. *see* Lidman C.E.

Pijpers F.P., Thompson M.J., A modified  $R^1 \otimes R^1$  method for helioseismic rotation inversions, 279, 498

Podsiadlowski Ph., The response of tidally heated stars, 279, 1104

Pollard K.R., Cottrell P.L., Kilmartin P.M., Gilmore A.C., RV Tauri stars – I. A long-term photometric survey, 279, 949

Porcas R.W. *see* Garrett M.A.

Price N.M. *see* Bonnell I.A.

Priedhorsky W.C., Peele A.G., Nugent K.A., An X-ray all-sky monitor with extraordinary sensitivity, 279, 733

Prieto M.A., Freudling W., The relation between the neutral and the ionized gas in NGC 5252, 279, 63

Pringle J.E. *see* Lubow S.H.

Pringle J.E. *see* Ogilvie G.I.

Rajagopal J. *see* Sridharan T.K.

Rawlings J.M.C. *see* Federman S.R.

Rawlings S., Lacy M., Leahy J.P., Dunlop J.S., Garrington S.T., Lüdke E., A study of 4C 13.66 – the final identification and redshift for the revised 3C sample, 279, L13

Reid I.N. *see* Yan L.

Rendtel J., Brown P., Molau S., The 1995 outburst and possible origin of the  $\alpha$ -Monocerotid meteoroid stream, 279, L31

Richer J.S. *see* Bence S.J.

Ritter H. *see* Stehle R.

Robijn F.H.A., de Zeeuw P.T., Three-integral oblate galaxy models, 279, 673

Rocha-Pinto H.J., Maciel W.J., The metallicity distribution of G dwarfs in the solar neighbourhood, 279, 447

Romano P., Zwitter T., Calvani M., Sulentic J., On the wings of broad H $\alpha$  emission in active galactic nuclei, 279, 165

Rothschild E. *see* Saizar P.

Roueff E., A reanalysis of interstellar OH absorption observations, 279, L37

Rowan-Robinson M. *see* Clements D.L.

Rowan-Robinson M. *see* Green S.M.

Saizar P., Pachoulakis I., Shore S.N., Starrfield S., Williams R.E., Rothschild E., Sonneborn G., Nova V351 Puppis 1991: a multiwavelength study of the nebular phase, 279, 280

Santiago B.X. *see* Abraham R.G.

Sanz J.L. *see* Cayón L.

Saripalli L. *see* Subrahmanyan R.

Sarna M.J., Marks P.B., Smith R.C., Evolutionary scenarios for double degenerate systems, 279, 88

Saunders W. *see* Clements D.L.

Saunders W. *see* Mann R.G.

Savaglio S. *see* Fontana A.

Scarrott S.M., Draper P.W., Stockdale D.P., Imaging polarimetry of the luminous merger galaxy NGC 3256, 279, 1325

Schilizzi R.T. *see* Snellen I.A.G.

Schuecker P., The Muenster Redshift Project: improved methods for automated galaxy redshift measurements from very low-dispersion objective-prism spectra, 279, 1057

Seaton M.J., Interpolations of Rosseland-mean opacities for variable X and Z, 279, 95

Sethi S.K. *see* Nath B.B.

Sharples R.M. *see* Barger A.J.

Sheth R.K., The distribution of pairwise peculiar velocities in the non-linear regime, 279, 1310

Shore S.N. *see* Saizar P.

Shukurov A. *see* Moss D.

Siebert J., Brinkmann W., Morganti R., Tadhunter C.N., Danziger I.J., Fosbury R.A.E., di Serego Alighieri S., The soft X-ray properties of a complete sample of radio sources, 279, 1331

Skinner C.J. *see* Sylvester R.J.

Smail I. *see* Barger A.J.

Smith R.C. *see* Sarna M.J.

Snellen I.A.G., Bremer M.N., Schilizzi R.T., Miley G.K., van Ojik R., The R-band Hubble diagram for gigahertz peaked spectrum radio galaxies, 279, 1294

Sonogo S., Lanza A., Relativistic perihelion advance as a centrifugal effect, 279, L65



- Sonneborn G. *see* Saizar P.  
 Spinelli L. *see* Triay R.  
 Sridhar S., Touna J., Adiabatic evolution and capture into resonance: vertical heating of a growing stellar disc, **279**, 1263  
 Sridharan T.K., Bhatt H.C., Rajagopal J., Magnetic fields in cometary globules—I. CG **22**, **279**, 1191  
 Starrfield S. *see* Saizar P.  
 Steffen W. *see* Holloway A.J.  
 Steffen W. *see* Su B.M.  
 Stehle R., Ritter H., Kolb U., An analytic approach to the secular evolution of cataclysmic variables, **279**, 581  
 Stevens I.R. *see* Jeffries R.D.  
 Stockdale D.P. *see* Scarrott S.M.  
 Su B.M., Muxlow T.W.B., Pedlar A., Holloway A.J., Steffen W., Kukulka M.J., Mutel R.L., Compact radio structure in the Seyfert nucleus of NGC 5929, **279**, 1111  
 Subrahmanyan R., Saripalli L., Hunstead R.W., Morphologies in megaparsec-size powerful radio galaxies, **279**, 257  
 Sugiyama N. *see* Cayón L.  
 Sulentic J. *see* Romano P.  
 Sutherland W.J. *see* Clements D.L.  
 Sylvester R.J., Skinner C.J., Barlow M.J., Mannings V., Optical, infrared and millimetre-wave properties of Vega-like systems, **279**, 915  
 Tadhunter C.N. *see* Holloway A.J.  
 Tadhunter C.N. *see* Siebert J.  
 Takahara F. *see* Levshakov S.A.  
 Tanvir N.R. *see* Abraham R.G.  
 Taylor A.N. *see* Mann R.G.  
 Taylor S.D. *see* Federman S.R.  
 Taylor S.D. *see* Howe D.A.  
 Tegmark M. *see* Haehnelt M.G.  
 Terlevich E., Diaz A.I., Terlevich R., González-Delgado R.M., Pérez E., García Vargas M.L., A spectroscopic search for red supergiants in the M33 giant H II region NGC 604, **279**, 1219  
 Terlevich R. *see* Terlevich E.  
 Terquem C., Bertout C., Tidally induced warps in T Tauri discs—II. A parametric study of spectral energy distributions, **279**, 415  
 Terquem C., Papaloizou J.C.B., On the stability of an accretion disc containing a toroidal magnetic field, **279**, 767  
 Theuns T., Numerical study of energy diffusion in King models, **279**, 827  
 Thomas G. *see* Billington I.  
 Thompson M.J. *see* Pijpers F.P.  
 Thuillard M., Pulsation frequency of fireballs: a new method of measuring meteoroid size?, **279**, 785  
 Torres S. *see* Cayón L.  
 Touna J. *see* Sridhar S.  
 Triay R., Spinelli L., Lafaye R., Framework for cosmography at high redshift, **279**, 564  
 Tweedy R.W. *see* Barstow M.A.  
 Vaack N. *see* Fleming J.  
 van de Weygaert R. *see* Bernardeau F.  
 van den Bergh S. *see* Abraham R.G.  
 van Loon J.Th. *see* Zijlstra A.A.  
 van Ojik R. *see* Snellen I.A.G.  
 Vesperini E. *see* Bellazzini M.  
 Waga I. *see* Bloomfield Torres L.F.  
 Ward M.J. *see* Young S.  
 Wardle M. *see* Königl A.  
 Warner B. *see* Harrop-Allin M.K.  
 Waters L.B.F.M. *see* Zijlstra A.A.  
 Weisberg J.M. *see* Johnston S.  
 Welty D.E. *see* Kulkarni V.P.  
 Whitelock P.A. *see* Zijlstra A.A.  
 Williams D.A. *see* Federman S.R.  
 Williams D.A. *see* Howe D.A.  
 Williams D.A. *see* McCoustra M.  
 Williams P.M., Longmore A.J., Geballe T.R., Evolution of the 1–4  $\mu$ m spectrum of Nova PW Vulpeculae 1984, **279**, 804  
 Williams R.E. *see* Saizar P.  
 Williams R.J.R., Dyson J.E., Breaking the sound barrier in recombination fronts, **279**, 987  
 Wills B.J. *see* Netzer H.  
 Wills B.J. *see* Young S.  
 Wilson W. *see* Johnston S.  
 Wu S. *see* Yang L.  
 Wu X. *see* Yang L.  
 Yabushita S., Statistical tests of a periodicity hypothesis for crater formation rate—II, **279**, 727  
 Yan L., Reid I.N., Discovery of six short-period eclipsing binaries in the globular cluster M5, **279**, 751  
 Yang L., Yang P., Wu S., Wu X., Sonic-point instability with a new revised viscosity and isothermal accretion disc, **279**, 669  
 Yang P. *see* Yang L.  
 Yearsley J.M. *see* Drinkwater M.J.  
 York D.G. *see* Kulkarni V.P.  
 Young C.K. *see* Drinkwater M.J.  
 Young S., Hough J.H., Efsthathiou A., Wills B.J., Axon D.J., Bailey J.A., Ward M.J., Scattered broad optical lines in the polarized flux spectrum of the FR II galaxy 3C 321, **279**, L72  
 Zdziarski A.A., Magdziarz P., The origin of the correlation between the UV and X-rays in NGC 4151, **279**, L21  
 Zijlstra A.A., Loup C., Waters L.B.F.M., Whitelock P.A., van Loon J.Th., Guglielmo F., Obscured asymptotic giant branch stars in the Magellanic Clouds—II. Near-infrared and mid-infrared counterparts, **279**, 32  
 Zwitter T. *see* Romano P.